

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	11	"5838722"	USPAT; US-PGPUB; EPO; DERWENT	2004/05/19 16:48		
2	IS&R	844	(375/219).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:50		
3	IS&R	193	(375/258).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:50		
4	IS&R	759	(375/295).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:50		
5	IS&R	769	(375/257).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:50		
6	IS&R	410	(326/82).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:50		
7	IS&R	1486	(327/108).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:50		
8	IS&R	499	(327/110).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:51		
9	IS&R	198	(327/524).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:51		
10	IS&R	425	(327/551).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:51		
11	IS&R	120	(327/590).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:51		
12	IS&R	223	(330/75).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:52		
13	IS&R	563	(330/85).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:52		
14	IS&R	122	(330/102).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:52		

	Er ro rs
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
15	IS&R	649	(330/260).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:53		
16	IS&R	207	(330/291).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:53		
17	IS&R	666	(455/403).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:56		
18	IS&R	728	(455/423).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:57		
19	IS&R	386	(455/424).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:57		
20	IS&R	254	(455/425).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:57		
21	IS&R	165	(455/431).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:58		
22	IS&R	546	(455/434).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 14:58		
23	BRS	5	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/295).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 15:12		
24	BRS	15	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/257).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 15:13		
25	BRS	2	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((330/260).CCLS.) and (var\$3 or chang\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 15:11		
26	BRS	14	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/219).CCLS.) and (var\$3 or chang\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 15:11		
27	BRS	5	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/295).CCLS.) and (var\$3 or chang\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/14 15:12		

	Er ro rs
15	0
16	0
17	0
18	0
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
28	IS&R	2	("5153466").PN.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/15 09:35		
29	BRS	5	"5153466"	USPAT	2004/04/15 09:35		
30	BRS	9	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/258).CCLS.) and (var\$3 or chang\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 11:50		
31	BRS	17	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/219).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/15 09:46		
32	BRS	1	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((326/82).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/15 09:51		
33	BRS	2	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((327/108).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/15 09:51		
34	BRS	1	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((327/110).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/15 09:52		
35	BRS	7	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/258).CCLS.) and (var\$3 or chang\$3) and even	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 13:33		
36	BRS	6048	transistor and (power same transformer) and control\$4 and capacitance and ((charge or discharge) or (increas\$3 or decoeas\$3))	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 13:47		
37	BRS	1463	transistor and (power same transformer) and control\$4 and capacitance and ((charge or discharge) or (increas\$3 or decoeas\$3)) and FET	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 13:49		
38	BRS	568	transistor and (FET same power same transformer) and control\$4 and capacitance and ((charge or discharge) or (increas\$3 or decoeas\$3))	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 14:01		
39	BRS	123	transistor and (FET same power same transformer) and control\$4 and (parasitic same capacitance) and ((charge or discharge) or (increas\$3 or decreas\$3)) and current	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 14:04		
40	BRS	43	transistor and (FET same power same transformer) and control\$4 and (parasitic same capacitance) and ((charge or discharge) or (increas\$3 or decreas\$3)) and current and threshold	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 15:20		
41	BRS	40	transistor and (FET same power same transformer) and control\$4 and (parasitic same capacitance) and ((charge or discharge) or (increas\$3 or decreas\$3)) and current and threshold and gate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 15:37		

	Er ro rs
28	0
29	0
30	0
31	0
32	0
33	0
34	0
35	0
36	0
37	0
38	0
39	0
40	0
41	0

	Type	Hits	Search Text	DBs	Time Stamp	Com men ts	Er ro r De fi ni ti on
42	BRS	28	transistor and (FET same power same transformer) and control\$4 and (parasitic same capacitance) and ((charge or discharge) or (increas\$3 or decreas\$3)) and current and threshold and gate and rate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/20 08:44		
43	IS&R	297	(363/19).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 16:08		
44	IS&R	1037	(363/97).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 16:08		
45	IS&R	337	(363/20).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/04/19 16:08		
46	BRS	23	transistor and (FET same power same transformer) and control\$4 and (parasitic same capacitance) and ((charge or discharge) or (increas\$3 or decreas\$3)) and current and threshold and gate and rate and sens\$3	USPAT; US-PGPUB; EPO; DERWENT	2004/04/20 08:44		
47	IS&R	1	("5896417").PN.	USPAT	2004/04/20 09:54		
48	IS&R	1	("5896417").PN.	USPAT	2004/04/20 10:19		
49	BRS	10	"6377784"	USPAT; US-PGPUB; EPO; DERWENT	2004/04/20 16:15		
50	IS&R	63	(326/23).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 08:01		
51	IS&R	71	(326/24).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 08:02		
52	BRS	10	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/258).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 08:09		
53	BRS	1	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and ((375/258).CCLS.) and monolithic	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 08:21		
54	BRS	45	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and isolat\$3 and monolithic	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 09:17		
55	BRS	44	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and isolat\$3 and monolithic and equal	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 11:01		

	Er ro rs
42	0
43	0
44	0
45	0
46	0
47	0
48	0
49	0
50	0
51	0
52	0
53	0
54	0
55	0

	Type	Hits	Search Text	DBs	Time Stamp	Corr mm en ts	Er ro r De fi ni ti on
56	BRS	31	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and isolat\$3 and monolithic and (current same equal)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 12:41		
57	BRS	15	transceiver and capacitance and transistor and transformer and control\$4 and capacitance and (pair or multiple or plurality) and input and output and isolat\$3 and monolithic and (current same equal) and discharg\$3	USPAT; US-PGPUB; EPO; DERWENT	2004/05/10 12:42		
58	BRS	2	"6684065"	USPAT; US-PGPUB; EPO; DERWENT	2004/05/18 09:43		
59	BRS	114	(feedback same compare\$4 same amplif\$4 same (input adj signal)) and threshold and (control\$4 same amplitude same output)	USPAT; EPO; DERWENT	2004/05/19 12:00		
60	IS&R	1	("6327309").PN.	USPAT	2004/05/19 13:56		
61	IS&R	1	("6684065").PN.	USPAT	2004/05/19 13:56		
62	BRS	1028	off same current same transistor same output and time same current same measur\$5 same level	USPAT; US-PGPUB; EPO; DERWENT	2004/05/19 15:07		
63	BRS	939	off same current same transistor same output and time same current same measur\$5 same level	USPAT; EPO; DERWENT	2004/05/19 15:07		
64	IS&R	1	("6249447").PN.	USPAT	2004/05/19 16:48		

	Er ro rs
56	0
57	0
58	0
59	0
60	0
61	0
62	0
63	0
64	0